


## Technical data sheet



Descriptions	<b>Name</b>	<b>360 Slide Easy</b>			
	<b>Line</b>	Design			
	<b>Description</b>	Side panel that has to be combined			
	<b>Mounting possibilities</b>	Has to be combined with 330			
Measurements	<b>Article</b>	<b>Width</b>	<b>Height</b>	<b>Left/Right</b>	
	<b>Stock transparent glas</b>				
	360 401 000 ###	800 mm	2044 mm	Left/Right	
	360 402 000 ###	900 mm	2044 mm	Left/Right	
	360 403 000 ###	1000 mm	2044 mm	Left/Right	
	360 404 000 ###	1200 mm	2044 mm	Left/Right	
	<b>Different glass types</b>				
	360 501 001 ###	800 mm	2044 mm	Left	
	360 502 001 ###	900 mm	2044 mm	Left	
	360 503 001 ###	1000 mm	2044 mm	Left	
	360 504 001 ###	1200 mm	2044 mm	Left	
	360 501 002 ###	1200 mm	2044 mm	Right	
360 502 002 ###	1400 mm	2044 mm	Right		
360 503 002 ###	1600 mm	2044 mm	Right		
360 504 002 ###	1800 mm	2044 mm	Right		
<b>Custom made</b>					
360 509 001 ###	950mm-2500 mm	up to 2044 mm	Left		
360 509 002 ###	950mm-2500 mm	up to 2044 mm	Right		
	<b>Made to measure</b>	Height standard 2044mm.			
	<b>Glass beveling</b>	Not possible			
Glass	<b>Glass specifications</b>	8 mm toughened safety glass (norm NBN 23-002, klasse NBN EN 12600)			
	<b>Type of glass</b>	101 Transparent	107 Green	119 Opal white	
		102 Opal mat	108 Blue	120 Opal Black	
		104 Extra transparent	114 Crepi	125 Opal bronze	
		105 Bronze	115 Cathedral	126 Opal gris	
		106 Gris	118 Black	121 Mirror	
	<b>Glass treatments</b>	109 Aquaclean	110 Zone intime	111 Zone à la carte	
Finishing	<b>Characteristics</b>	U profile against the wall			
	<b>Afwerking ###</b>	Shiny (011), Matte (001), Black matte (099), White matte (099)			
Service	<b>Measuring</b>	Possible with price supplement			
	<b>Mounting</b>	Possible with price supplement			
	<b>Mounting instructions</b>	Available			
Seats	<b>Characteristics</b>	UV-resistant according to Xenon test 1200 with cycle 120/18			
		Crystal-clear color according to RAU-PVC1107			
		Mold resistance according to DIN 5373			
Technical details	<b>Advice</b>	A profile or glass must always be placed on the tiling.			
		Otherwise, this can lead to issues with waterproofing.			
		When preparing, take into account the size and weight of the glass.			
		Can the glass be brought into and installed in the bathroom.			

