


Technical data sheet




Description	Product Line	210 Wall Concept Round																																																		
	Description	Design																																																		
	Mounting possibilities	Walk-in panel fixed to wall Can be installed without other screen Can be combined with another 210 Round																																																		
	Rotation	Does not apply																																																		
Measurements	Reference	Width / effective dimensions	Height	Left/Right																																																
	Other kind of glass ###	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><td>210 208 001 ROUND ###</td><td>800mm / 770mm</td><td>2000 mm</td><td>Left</td></tr> <tr><td>210 209 001 ROUND ###</td><td>900mm / 870mm</td><td>2000 mm</td><td>Left</td></tr> <tr><td>210 201 001 ROUND ###</td><td>1000 mm / 970 mm</td><td>2000 mm</td><td>Left</td></tr> <tr><td>210 202 001 ROUND ###</td><td>1200 mm / 1170 mm</td><td>2000 mm</td><td>Left</td></tr> <tr><td>210 203 001 ROUND ###</td><td>1400 mm / 1370 mm</td><td>2000 mm</td><td>Left</td></tr> <tr><td>210 204 001 ROUND ###</td><td>1600 mm / 1570 mm</td><td>2000 mm</td><td>Left</td></tr> <tr><td>210 208 002 ROUND ###</td><td>800mm / 770mm</td><td>2000 mm</td><td>Right</td></tr> <tr><td>210 209 002 ROUND ###</td><td>900mm / 870mm</td><td>2000 mm</td><td>Right</td></tr> <tr><td>210 201 002 ROUND ###</td><td>1000 mm / 970 mm</td><td>2000 mm</td><td>Right</td></tr> <tr><td>210 202 002 ROUND ###</td><td>1200 mm / 1170 mm</td><td>2000 mm</td><td>Right</td></tr> <tr><td>210 203 002 ROUND ###</td><td>1400 mm / 1370 mm</td><td>2000 mm</td><td>Right</td></tr> <tr><td>210 204 002 ROUND ###</td><td>1600 mm / 1570 mm</td><td>2000 mm</td><td>Right</td></tr> </table>			210 208 001 ROUND ###	800mm / 770mm	2000 mm	Left	210 209 001 ROUND ###	900mm / 870mm	2000 mm	Left	210 201 001 ROUND ###	1000 mm / 970 mm	2000 mm	Left	210 202 001 ROUND ###	1200 mm / 1170 mm	2000 mm	Left	210 203 001 ROUND ###	1400 mm / 1370 mm	2000 mm	Left	210 204 001 ROUND ###	1600 mm / 1570 mm	2000 mm	Left	210 208 002 ROUND ###	800mm / 770mm	2000 mm	Right	210 209 002 ROUND ###	900mm / 870mm	2000 mm	Right	210 201 002 ROUND ###	1000 mm / 970 mm	2000 mm	Right	210 202 002 ROUND ###	1200 mm / 1170 mm	2000 mm	Right	210 203 002 ROUND ###	1400 mm / 1370 mm	2000 mm	Right	210 204 002 ROUND ###	1600 mm / 1570 mm	2000 mm	Right
	210 208 001 ROUND ###	800mm / 770mm	2000 mm	Left																																																
	210 209 001 ROUND ###	900mm / 870mm	2000 mm	Left																																																
	210 201 001 ROUND ###	1000 mm / 970 mm	2000 mm	Left																																																
	210 202 001 ROUND ###	1200 mm / 1170 mm	2000 mm	Left																																																
	210 203 001 ROUND ###	1400 mm / 1370 mm	2000 mm	Left																																																
	210 204 001 ROUND ###	1600 mm / 1570 mm	2000 mm	Left																																																
	210 208 002 ROUND ###	800mm / 770mm	2000 mm	Right																																																
	210 209 002 ROUND ###	900mm / 870mm	2000 mm	Right																																																
	210 201 002 ROUND ###	1000 mm / 970 mm	2000 mm	Right																																																
	210 202 002 ROUND ###	1200 mm / 1170 mm	2000 mm	Right																																																
	210 203 002 ROUND ###	1400 mm / 1370 mm	2000 mm	Right																																																
	210 204 002 ROUND ###	1600 mm / 1570 mm	2000 mm	Right																																																
	made to measure	<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="background-color: #003366; color: white;">Width</th> <th style="background-color: #003366; color: white;">Height</th> <th style="background-color: #003366; color: white;">Left/Right</th> </tr> </thead> <tbody> <tr><td>210 108 001 ROUND ###</td><td>up to 800 mm</td><td>up to 2000 mm</td><td>Left</td></tr> <tr><td>210 101 001 ROUND ###</td><td>801 mm-1000 mm</td><td>up to 2000 mm</td><td>Left</td></tr> <tr><td>210 102 001 ROUND ###</td><td>1001 mm-1200 mm</td><td>up to 2000 mm</td><td>Left</td></tr> <tr><td>210 103 001 ROUND ###</td><td>1201 mm-1400 mm</td><td>up to 2000 mm</td><td>Left</td></tr> <tr><td>210 104 001 ROUND ###</td><td>1401 mm-1600 mm</td><td>up to 2000 mm</td><td>Left</td></tr> <tr><td>210 108 002 ROUND ###</td><td>up to 800 mm</td><td>up to 2000 mm</td><td>Right</td></tr> <tr><td>210 101 002 ROUND ###</td><td>801 mm-1000 mm</td><td>up to 2000 mm</td><td>Right</td></tr> <tr><td>210 102 002 ROUND ###</td><td>1001 mm-1200 mm</td><td>up to 2000 mm</td><td>Right</td></tr> <tr><td>210 103 002 ROUND ###</td><td>1201 mm-1400 mm</td><td>up to 2000 mm</td><td>Right</td></tr> <tr><td>210 104 002 ROUND ###</td><td>1401 mm-1600 mm</td><td>up to 2000 mm</td><td>Right</td></tr> </tbody> </table>			Width	Height	Left/Right	210 108 001 ROUND ###	up to 800 mm	up to 2000 mm	Left	210 101 001 ROUND ###	801 mm-1000 mm	up to 2000 mm	Left	210 102 001 ROUND ###	1001 mm-1200 mm	up to 2000 mm	Left	210 103 001 ROUND ###	1201 mm-1400 mm	up to 2000 mm	Left	210 104 001 ROUND ###	1401 mm-1600 mm	up to 2000 mm	Left	210 108 002 ROUND ###	up to 800 mm	up to 2000 mm	Right	210 101 002 ROUND ###	801 mm-1000 mm	up to 2000 mm	Right	210 102 002 ROUND ###	1001 mm-1200 mm	up to 2000 mm	Right	210 103 002 ROUND ###	1201 mm-1400 mm	up to 2000 mm	Right	210 104 002 ROUND ###	1401 mm-1600 mm	up to 2000 mm	Right					
	Width	Height	Left/Right																																																	
	210 108 001 ROUND ###	up to 800 mm	up to 2000 mm	Left																																																
	210 101 001 ROUND ###	801 mm-1000 mm	up to 2000 mm	Left																																																
	210 102 001 ROUND ###	1001 mm-1200 mm	up to 2000 mm	Left																																																
	210 103 001 ROUND ###	1201 mm-1400 mm	up to 2000 mm	Left																																																
210 104 001 ROUND ###	1401 mm-1600 mm	up to 2000 mm	Left																																																	
210 108 002 ROUND ###	up to 800 mm	up to 2000 mm	Right																																																	
210 101 002 ROUND ###	801 mm-1000 mm	up to 2000 mm	Right																																																	
210 102 002 ROUND ###	1001 mm-1200 mm	up to 2000 mm	Right																																																	
210 103 002 ROUND ###	1201 mm-1400 mm	up to 2000 mm	Right																																																	
210 104 002 ROUND ###	1401 mm-1600 mm	up to 2000 mm	Right																																																	
Customisation	Width possible up to 1600mm per mm, extra height = price supplement																																																			
Chamfers	Not possible																																																			
Glass	Type of glass	10 mm toughened safetyglass (norm NBN 23-002, klasse NBN EN 12600)																																																		
	Kinds of glass	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>101 Transparant</td> <td>106 Gris</td> <td>119 Opal white</td> </tr> <tr> <td>102 Opal mat</td> <td>107 Green</td> <td>120 Opal Black</td> </tr> <tr> <td>104 Extra transparant</td> <td>114 Crepi</td> <td>125 Opal bronze</td> </tr> <tr> <td>105 Bronze</td> <td>118 Black</td> <td>126 Opal gris</td> </tr> <tr> <td></td> <td></td> <td>121 Mirror</td> </tr> <tr> <td></td> <td></td> <td>111 Zone à la carte</td> </tr> </table>			101 Transparant	106 Gris	119 Opal white	102 Opal mat	107 Green	120 Opal Black	104 Extra transparant	114 Crepi	125 Opal bronze	105 Bronze	118 Black	126 Opal gris			121 Mirror			111 Zone à la carte																														
	101 Transparant	106 Gris	119 Opal white																																																	
	102 Opal mat	107 Green	120 Opal Black																																																	
104 Extra transparant	114 Crepi	125 Opal bronze																																																		
105 Bronze	118 Black	126 Opal gris																																																		
		121 Mirror																																																		
		111 Zone à la carte																																																		
Glass treatments	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td>109 Aquaclean</td> <td>110 Zone intime</td> <td></td> </tr> <tr> <td>112 Print</td> <td></td> <td></td> </tr> </table>			109 Aquaclean	110 Zone intime		112 Print																																													
109 Aquaclean	110 Zone intime																																																			
112 Print																																																				
Characteristics	1 profile against the wall																																																			
Finishings	Shiny bright chrome (011), Inox (001), Matte black (099), Matte white (088)																																																			
Stabilisor	L-shapped bracing bar																																																			
Service	Measuring	Possible with price supplement																																																		
	Mounting	Possible with price supplement																																																		
	Mounting instructions	Available																																																		
Technical details	Advice	<p>Standard: width is the width of glass + profile</p> <p>Customized: we adapt the glass to your demand. This is from tile to the end of the glass</p> <p>U-shapped profile gives +3,5 mm / -3,5 mm flexibility</p> <p>A profile or glass should always be put on the tiles.</p> <p>If not, this can give issues on watertightness</p> <p>Keep dimensions and weight of the glass in mind when preparing.</p> <p>Can the glass be brought into the bathroom?</p>																																																		

Technical parts

210 Wall Concept Free

L-shaped bracing bar



U-shaped wall profile

